

Quality of the Soil, Timber, &c. on the Township Lines.						The figures in this column refer to the Posts numbered in red ink on the Plans.				
		East Boundary.		South Boundary.		Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
Description of the Land, Timber, &c. on the Interior Sectional Lines.	Sec. 36	1 st 1/2 Sec. 36	Land level 2 ^d rate, Sugar, Lym, Beech, Elm, Ash, Poplar, Walnut &c	Sec. 36	Land mostly rolling, 1 st rate soil; Ash, Poplar, Sugar, Walnut, Maple &c	1				
	" 25	2 nd 1/2 Sec. 36	Upland level 2 ^d rate; Beech, Oak, Lym, Elm, Ash, Poplar, Walnut &c	" 35	Land &c similar, but level 2 ^d rate; broken by low places	2				
	" 24	3 rd 1/2 Sec. 36	Land mostly Marsh, or wet Prairie	" 34	Land &c similar	3				
	" 13	4 th 1/2 Sec. 36	Land level low and swampy, Sp. Oak, Ash, Lym, Beech, B. Gum, Elm &c	" 33	Land &c similar	4				
	" 12	5 th 1/2 Sec. 36	This mile mostly a terrible swamp	" 32	Upland similar	5				
	" 1	6 th 1/2 Sec. 36	Land level 2 ^d rate, Sugar, Lym, Beech, Elm, Ash, Poplar, Walnut &c	" 31	Land &c similar	6				
	35, 36	7 th 1/2 Sec. 36	Land 3 ^d rate rolling, Beech, Oak, Hickory, Poplar, Ironwood &c			7				
	25, 36	8 th 1/2 Sec. 36	Second rate rolling, Beech, Oak, Poplar, Ironwood, Gum, &c			8				
	25, 26	9 th 1/2 Sec. 36	2 ^d rate flat, S. of Marsh, Beech, Hickory, Ash, Poplar, Ironwood &c			9				
	24, 25	10 th 1/2 Sec. 36	No timber, Land Marsh			10				
	23, 24	11 th 1/2 Sec. 36	Second rate, level, Oak, Ash, Poplar &c			11				
	13, 24	12 th 1/2 Sec. 36	2 ^d rate, level, W. Oak, Hickory, Elm &c			12				
	13, 14	13 th 1/2 Sec. 36	Rolling 2 ^d rate, Oak, Walnut, Elm & Poplar			13				
	12, 13	14 th 1/2 Sec. 36	2 ^d rate rolling, Sugar, Oak, Poplar, Ironwood &c			14				
	11, 12	15 th 1/2 Sec. 36	Land &c similar same			15				
	1, 12	16 th 1/2 Sec. 36	2 ^d rate rolling, Sugar, Beech, Ash, Poplar, Ironwood &c			16				
	1, 2	17 th 1/2 Sec. 36	Similar			17				
	34, 35	18 th 1/2 Sec. 36	2 ^d rate flat, Beech, Oak, Ash, Hickory, Ironwood &c			18				
	26, 35	19 th 1/2 Sec. 36	2 ^d rate rolling, Sugar, Beech, Oak, Poplar, Ironwood &c			19				
	26, 27	20 th 1/2 Sec. 36	Similar			20				
	23, 26	21 st 1/2 Sec. 36	2 ^d rate flat, B. Ash, Willow &c			21				
	22, 23	22 nd 1/2 Sec. 36	Timbered land 2 ^d rate, W. Oak, Elm, Lym, Walnut, Beech, Ironwood &c			22				
	14, 23	23 rd 1/2 Sec. 36	Same			23				
	14, 15	24 th 1/2 Sec. 36	2 ^d rate, flat & wet, W. Oak, Elm, Hickory, Ash &c			24				
	11, 14	25 th 1/2 Sec. 36	Same			25				
	10, 11	26 th 1/2 Sec. 36	Same			26				
	2, 11	27 th 1/2 Sec. 36	2 ^d rate, Bl. Ash, Swamp, water from 1 to 3 ft. deep			27				
	2, 3	28 th 1/2 Sec. 36	2 ^d rate rolling, Sugar, Ash, Poplar &c			28				
	33, 34	29 th 1/2 Sec. 36	2 ^d rate, flat & wet; Timber, Bl. Ash, Maple, Hickory, Oak &c			29				
	27, 34	30 th 1/2 Sec. 36	2 ^d rate flat, Beech, Elm, Oak, Poplar, Ironwood &c			30				
	27, 28	31 st 1/2 Sec. 36	Land, except Marsh, same			31				
	22, 27	32 nd 1/2 Sec. 36	Timbered land 2 ^d rate, level, Oak, Lym, Beech, Ironwood &c			32				
	21, 22	33 rd 1/2 Sec. 36	3 ^d rate flat, Timber same			33				
	15, 22	34 th 1/2 Sec. 36	Same			34				
	15, 16	35 th 1/2 Sec. 36	Same			35				
	10, 15	36 th 1/2 Sec. 36	Same			36				
	9, 10	37 th 1/2 Sec. 36	2 ^d rate rolling, Ash, Oak, Poplar, Beech; 8 th 1/2 Sec. 36			37				
	3, 10		3 ^d rate flat, Bl. Ash, Maple, Elm, Oak, Willow &c							
	3, 4		2 ^d rate rolling, Ash, Poplar, Oak, Walnut, Beech, Ironwood &c							
	32, 33		2 ^d rate rolling, Beech, Oak, Poplar, Ironwood &c							
	28, 33		Same							
	28, 29		S. of Marsh same, in Marsh flat, very wet, covered with coarse grass							
	21, 28		Same							
	20, 21		Except Marsh, B. Ash, Elm, Maple, Ash &c							
	16, 21		2 ^d rate flat, W. Oak, Willow, Ash &c							
	16, 17		Same							
	9, 16		Rolling 3 ^d rate, Oak, Beech, Hickory, Ironwood &c							
8, 9		2 ^d rate rolling, W. Oak, Hickory, Ironwood, Elm &c								
4, 9		2 ^d rate rolling, Beech, Oak, Ash, Poplar, Lym &c - Walnut								
4, 5		3 ^d rate flat, Beech, Lym, Oak, Poplar, Walnut, Ironwood &c								
31, 32		S. of Swamp, 2 ^d rate, Beech, Ash, Poplar, Walnut &c								
29, 32		2 ^d rate, Beech, Ash, Poplar, Walnut, Ironwood &c								
30, 31		Similar								
29, 30		2 ^d rate flat & wet, Beech, Oak, Elm, Ironwood &c								
20, 29		3 ^d rate level, W. & N. Oak, Maple, Elm &c								
19, 30		2 ^d rate, Beech, Oak, Poplar, Lym, Ironwood &c								
19, 20		2 ^d rate level, Swampy, Maple								
17, 20		Land level 2 ^d rate; W. Oak, Lym, Beech, Ash & Poplar								
18, 19		2 ^d rate, level, Beech, Ash, Poplar, Lym &c								
17, 18		S. of Marsh, 1 st rate, rolling, Oak, Ash, Walnut &c								
8, 17		2 ^d rate rolling, Oak, Ash, Elm, Lym &c								
7, 18		2 ^d rate, rolling, Beech, Oak, Poplar, Ironwood &c								
7, 8		Flat 2 ^d rate, Beech, Lym, Oak, Poplar, Ironwood &c								
5, 8		East 1/2 2 ^d rate, rolling, Beech, Ash, Lym, & Poplar, West 1/2 2 ^d rate								
6, 7		Similar								
5, 6		2 ^d rate rolling, Beech, Poplar, Elm, Maple, Lym &c								

Exterior Section and Quarter Section Corners Described.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
A	Sugar	30	S 37° W	31
a	Do	30	S 6° E	6
B	W. Ash	7	S 83° E	24 1/2
b	Buckeye	3	S 29 3/4° W	23
C	Beech	6	S 37 1/2° W	23
c	Do	5	S 37 1/2° E	19
D	Ironwood	6	Corner	
d				
E	W. Ash	8	S 47° E	5
e	Sugar	12	S 104° W	28
F	R. Oak	48	S 70 1/2° W	34 1/2
f	Do	24	S 67° E	23 1/2
G	Span. Oak	22	N 55° W	8
g	Sugar	20	S 16° E	18
h	Beech	19	S 46 3/4° W	80
H	Sugar	16	N 23° W	20
h	W. Ash	15	S 38 1/2° W	39
	Do	14	N 34° W	11
I	Hamack	19	N 9° W	7
i	Do	19	S 34° W	12
I	Poplar	16	N 24° W	29
	Do	20	S 42° W	42
i	Elm	10	S 20 1/2° W	35
K	Willow	5	S 62° W	13
k	R. Oak	17	N 29° W	16
	Beech	16	S 54° W	65
L	R. Oak	15	S 48 1/2° W	70
	W. Ash	8	N 84° W	14
L	Span. Oak	9	N 3 1/2° W	152
	R. Oak	9	N 71 1/2° W	142
I	Syring	14	S 64° W	40
	Beech	18	N 2° W	9
M	Beech	20	S 43 1/2° W	79
m	Hickory	16	N 11° W	53
	Syring	16	N 38° W	33
N	R. Oak	24	S 76° W	95
n	W. Ash	28	N 47 1/2° E	84
	Do	17	S 48 1/2° W	57
O	Aspen	8	N 17° W	33
	Do	16	N 51 1/2° W	28
O	R. Oak	18	N 57° E	71
	Hickory	9	N 44 1/2° W	67
P	Aspen	10	N 27 1/2° W	208
	Elm	17	S 34° W	119
P	W. Ash	16	N 55 1/2° W	31
	Beech	17	N 53° E	20
Q	Beech	19	N 82° E	10
	Elm	12	N 31 1/2° W	79
Q	Syring	24	N 16° W	37
	W. Ash	9	N 60° E	21
Q	Beech	7	N 82 1/2° E	57
	Do	6	N 66 1/2° W	11
R	Sugar	9	N 80° W	22
	R. Oak	12	N 34° E	53
R	R. Oak	6	N 86 1/2° W	12
	Do	6	S 49° E	6
S	W. Ash	16	N 52° E	50
	R. Oak	18	N 73° W	10
S	W. Ash	8	N 59 1/2° E	25
	Beech	7	N 74 1/2° W	28
T	W. Ash	14	S 75° W	12
	Do	15	N 47 1/2° E	27
T	R. Oak	8	N 45 1/2° E	440
	No other near			
U	Syring	30	S 35° E	33 1/2
	R. Oak	20	N 77° E	65

Interior Section Corners Described.

Corners of Sections.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
25, 26, 35, 36,	Beech	24	S 62 1/2° W	8
	Do	18	S 72° E	35
23, 24, 25, 26,	R. Oak	12	N 52° E	31 1/2
	No other			
13, 14, 23, 24,	Aspen	12	N 34 1/2° W	147 1/2
	Willow	6	N 29 1/2° W	22 1/2
11, 12, 13, 14,	Beech	6	S 54° E	18 1/2
	Poplar	30	S 50 1/2° E	32 1/2
1, 2, 11, 12,	W. Oak	4	S 26 1/2° W	2
	Beech	24	S 7° E	30
26, 27, 34, 35,	Beech	30	South	2
	W. Ash	30	S 43 1/2° E	33
22, 23, 26, 27,	W. Ash	30	S 52 1/2° E	5
	Syring	24	N 73 1/2° W	10 1/2
14, 15, 22, 23,	W. Ash	10	S 85° W	8
	Elm	10	N 7° E	25
10, 11, 14, 15,	Aspen	5	East	24
	W. Ash	15	N 74 1/2° W	22
2, 3, 10, 11,	R. Oak	20	N 84° E	20
	Do	6	S 4 1/2° W	10
27, 28, 33, 34,	R. Oak	18	East	56 1/2
	Maple	12	N 1° W	42 1/2
21, 22, 27, 28,	Elm	15	N 57° E	45
	Ironwood	6	N 19 1/2° E	28
15, 16, 21, 22,	Aspen	6	N 11 1/2° E	14 1/2
	Maple	6	S 6 1/2° E	25
9, 10, 15, 16,	Poplar	10	S 31 1/2° W	18
	W. Oak	12	N 53 1/2° W	28 1/2
3, 4, 9, 10,	W. Ash	9	N 45 1/2° E	5 1/2
	R. Oak	20	S 5 1/2° E	12
28, 29, 32, 33,	Syring	10	N 49° W	25
	W. Ash	8	S 12° E	24
20, 21, 28, 29,	R. Oak	18	N 9 1/2° E	166
	R. Oak	24	N 40° W	150
16, 17, 20, 21,	Willow	6	N 47° W	31
	Do	4	S 37 1/2° E	8
8, 9, 16, 17,	W. Oak	24	S 38 1/2° E	8 1/2
	Do	24	N 71° W	8
4, 5, 8, 9,	Beech	18	N 24° W	37
	Do	15	S 24° E	21 1/2
29, 30, 31, 32,	Blue ash	22	S 51° E	13 1/2
	Elm	15	N 9° W	21 1/2
19, 20, 29, 30,	Beech	30	South	13
	Do	18	S 21° W	27
17, 18, 19, 20,	Syring	20	South	31 1/2
	R. Oak	30	N 83° E	20 1/2
7, 8, 17, 18,	W. Oak	22	S 16 1/2° E	46
	W. Ash	6	N 16° E	20 1/2
5, 6, 7, 8,	Beech	22	N 43 1/2° W	14
	Ironwood	4	S 68° E	12

Interior Quarter Section Corners Described.

Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
M to U at 1	Beech	24	N 76 1/2° E	37
	Do	18	S 37 1/2° E	27
2	Beech	24	S 53° E	22
	Do	20	N 30 1/2° E	29
3	Ironwood	6	S 15° W	21
	W. Ash	8	N 53 1/2° W	15
4	Sugar	8	S 5° E	24
	W. Beech	6	N 38 1/2° W	19
5	Beech	22	N 65 1/2° W	12
	Hickory	18	S 16° E	5 1/2
6	W. Oak	24	S 61 1/2° W	24
	R. Oak	15	N 77 1/2° E	13
L to V at 1	Aspen	18	N 95° W	156
	R. Oak	18	N 88° E	25 1/2
2	R. Oak	18	N 88° E	25 1/2
	Do	no	bearings	
3	Do	no	bearings	
4	W. Oak	18	S 84° E	124 1/2
	Elm	18	S 11 1/2° W	110
5	Maple	8	S 31° E	87
6	Beech	6	N 30 1/2° W	23
	Poplar	12	N 76 1/2° E	22
K to W at 1	Sugar	6	S 21 1/2° E	23
	Beech	18	S 70 1/2° W	18
2	Elm	18	S 40 1/2° W	22 1/2
	R. Oak	8	S 63 1/2° E	220
3	Beech	15	S 77° W	27 1/2
	Do	20	N 44° W	21
4	Aspen	18	N 43 1/2° W	33 1/2
	Do	12	S 66 1/2° W	20 1/2
5	Aspen	6	N 27 1/2° W	24
	Maple	6	N 44 1/2° E	33
6	Aspen	8	S 57 1/2° W	236
	No other			
I to X at 1	Sugar	22	S 79° W	5
	Do	20	N 86 1/2° E	34
2	W. Oak	30	N 53 1/2° E	32
	Ironwood	6	S 50° W	19
3	Aspen	3	N 21 1/2° E	4
	Do	3	S 33° W	8
4	Ironwood	6	N 46° E	30
	Do	6	S 58° W	5 1/2
5	Elm	18	S 33 1/2° W	20 1/2
	R. Oak	44	N 84° E	18
6	W. Oak	10	N 37° W	11
	Ironwood	8	S 16 1/2° W	4
H to Y at 1	Sugar	30	S 50 1/2° W	by
	Beech	18	N 26° W	18 1/2
2	Elm	8	Corner	
3	Maple	10	S 31° E	170
	Do	8	S 6° W	134
4	W. Ash	7	S 34 1/2° E	11
	R. Oak	22	N 34° E	24
5	W. Ash	22	S 66° E	6
	Beech	12	N 17° E	17
6	W. Walnut	12	N 19° E	24
	W. Ash	24	N 36 1/2° W	22
O to F at 1	Beech	24	N 17° W	5 1/2
	Do	6	S 32° E	24
2	Beech	24	S 54 1/2° E	9
	Do	20	N 81° W	34
3	R. Oak	10	N 22 1/2° E	24
	Syring	10	S 17 1/2° W	22 1/2
4	Beech	24	S 51° E	4
	Syring	20	N 74° W	33 1/2
5	R. Oak	24	S 57 1/2° W	26 1/2
	Maple	18	S 56 1/2° W	26 1/2
6	Beech	18	S 72° W	22
	Hickory	18	S 69 1/2° E	34 1/2

S to B at 1

C to A at 1

R to C at 1

S to B at 1

C to A at 1

R to C at 1

S to B at 1

C to A at 1

R to C at 1

S to B at 1

C to A at 1

R to C at 1

S to B at 1

C to A at 1

R to C at 1

S to B at 1

C to A at 1

R to C at 1

S to B at 1

C to A at 1

R to C at 1

S to B at 1

C to A at 1

R to C at 1

S to B at 1

C to A at 1

R to C at 1

S to B at 1

C to A at 1

R to C at 1

S to B at 1

C to A at 1


R to C at 1

S to B at 1

C to A at 1

R to C at 1

Township N^o 34 N. Range N^o 4 E. 2nd Mer. Ind^a.



Surveyed in 1835 by Reuben J. Dawson, Deputy Surveyor.

I certify that the above is a true copy of the
Original plat in this Office.
Surveyor General's Office. Lucius Lyon,
Detroit Nov. 1. 1849. Sur. Genl.